



**AGENDA**  
**CITY OF THE DALLES**  
**HISTORIC LANDMARKS COMMISSION**

CITY HALL COUNCIL CHAMBERS  
313 COURT STREET  
THE DALLES, OREGON 97058  
*CONDUCTED IN A HANDICAP ACCESSIBLE MEETING ROOM*

Wednesday, May 22, 2013  
4:00 PM

- I. Call to Order**
- II. Roll Call**
- III. Approval of Agenda**
- IV. Approval of Minutes – April 24, 2013**
- V. Public Comments** – During this portion of the meeting, anyone may speak on any subject which does not later appear on the agenda. Five minutes per person will be allowed.
- VI. Public Hearing**

**A. Historic Landmarks Commission Application #138-13 – The Dalles Mural Society;**  
Request to gain approval to install outdoor lighting on four (4) murals located in various areas on Federal Street. Properties are located at the following addresses: 400 E. 2<sup>nd</sup> St. (Honald) and is further described as 1N 13E 3BD t.l. 5300; 312 E. 2<sup>nd</sup> St. (Dong Xi) and is further described as 1N 13E 3BD t.l. 5200; 401 E. 2<sup>nd</sup> St. (Anthony Foote) and is further described as 1N 13E 3BD t.l. 2300; 319 E. 2<sup>nd</sup> St. (James Craig) and is further described as 1N 13E 3BC t.l. 2400. The Property is zoned “CBC” – Central Business Commercial.

**B. Historic Landmarks Commission Application #139-13 – Fort Dalles Museum;**  
Request to gain approval to install gutters on the north and south sides of the Anderson House in order to prevent further decay to the wooden house structure. The property is located at 500 W. 15<sup>th</sup> Street and is further described as 1N 13E 4DB t.l. 10400. Property is zoned “P/OS” – Parks and Open Space and is historically known as The Anderson Granary.

**VII. Resolutions**

- A. Resolution #128-13; HLC Application #138-13 – The Dalles Mural Society**
- B. Resolution #129-13; HLC Application #139-13 – Ft. Dalles Museum**

**VIII. Pioneer Cemetery Discussion**

**IX. Staff/Commissioner Comments**

**X. Next meeting date:** June 26, 2013

**XI. Adjournment**

# **HISTORIC LANDMARKS COMMISSION MINUTES**

**April 24, 2013**

**4:00 PM**

City Hall Council Chambers

313 Court Street

The Dalles, OR 97058

*Conducted in a handicap accessible room.*

## **CALL TO ORDER**

Chair Gleason called the meeting to order at 4:01 PM.

## **ROLL CALL**

Commissioners present:

Eric Gleason  
Robert McNary  
Dennis Davis  
Dixie Parker

Commissioners absent:

Pat Smith

Staff present:

Dawn Marie Hert, Senior Planner  
Carolyn Wood, Councilor at Large  
Garrett Chrostek, Administrative Fellow  
Carole Trautman, Administrative Secretary

## **APPROVAL OF AGENDA**

It was moved by Parker and seconded by McNary to approve the agenda as submitted. The motion carried unanimously; Smith was absent.

## **APPROVAL OF MINUTES**

A correction was noted by Administrative Secretary Trautman to strike the word "Administrative" on page 3, paragraph one, the first sentence.

It was moved by Davis and seconded by Parker to approve the February 27, 2013 minutes as corrected. The motion carried unanimously; Smith was absent.

## **PUBLIC COMMENTS**

None.

## **DISCUSSION ITEM – Interpretive Signage Update**

Administrative Fellow Garrett Chrostek reported that sign contractor estimates were submitted. Chrostek handed out preliminary design work and a chart that listed potential locations and themes for the interpretive signs (copy enclosed).

Senior Planner Hert pointed out that the design on sheet #5 had a similar style to the City's streetlights. Parker stated that she liked the design on sheet #1 because it was similar to the arch design on the

Union Street Underpass. Davis suggested combining the base design illustrated on sheet #5 base with the sign design on sheet #1. Administrative Fellow Chrostek suggested the lighting feature shown on sheet #2 could also be incorporated.

Councilor Wood reported that the Oregon Community Foundation offered grants to enhance, preserve and protect Oregon trails, and signage for the Lewis and Clark Trail could possibly qualify for a grant (the Riverfront Trail is part of the Lewis and Clark Trail). The grant required a match, but it could be in-kind.

Suggestions/comments on topics and locations:

- Include Grain Elevators at the Festival Park location
- Include Waldron Drug at the Washington Street Plaza location
- Include the fire of 1891, the fire of 1879, and possibly the flood of 1894 on panel #5—Disasters
- The directional sign would be located at the intersection of the Riverfront Trail and Union Street
- Include the ferry dock on the directional sign
- Combine the two historic districts as one listing on the sign
- Include Pulpit Rock
- Include the City Hall/Fire Museum
- Post the distances to the attractions on the directional sign
- Include Riverfront Park Boat Basin

Senior Planner Hert reviewed the list of resource contributors to develop historical content and photos for the signs as follows: Laura Comini, Sandy Bisett, Dan Spatz, Mary Davis, John Lundell, Claudia Leash, Carolyn Purcell, Marilyn Urness, Gary Honald (murals), Eric Gleason (Chinese), and Eveline Patt. The book, “Win-quatt,” could be used as a literary resource. Hert said she would contact these people and purchase the book.

### **PIONEER CEMETERY**

Senior Planner Hert advised the Commissioners that the City of The Dalles Municipal Court set up a community service program. The City’s Facilities Maintenance crew capitalized on the opportunity by utilizing workers to clean up Pioneer Cemetery, Hert stated. More money would now be available for labor costs to install fence posts. McNary said the laborers did a good job, but there were limbs that needed to be picked up. Hert said the landscaper could complete that work. After some discussion, it was determined that McNary could help supervise the fence post work under the guidance of the Facilities Maintenance crew.

McNary asked for the status on the plans for the walking path bark dust. Senior Planner Hert stated she would talk to the landscaper about providing the wood chips.

### **COMMISSIONER/STAFF COMMENTS**

Chair Gleason requested that the nomination of the Lewis and Clark Monument go before the Historic Landmarks Commission (HLC) at the next meeting. Gleason stated he submitted the application several years ago. Senior Planner Hert said the application was received, and it was determined at that time that the application required the property owner’s signature. Gleason said the State Historic

Preservation Office (SHPO) advised him that it was a public agency, and the application did not require a property owner's signature. Hert advised Gleason that the monument was going to be disassembled soon. Gleason stated he was aware of that. Hert stated the monument was not currently landmarked, so a public hearing through HLC would not be required. Hert also commented that the Lions' Club was working with North Wasco Parks and Recreation District regarding the monument's relocation, and Gleason worked with City Councilor McGlothlin regarding potential repurposing and/or restructuring of the monument at either the Rock Fort or Festival Area locations. Another alternative Councilor McGlothlin had discussed, Hert stated, was using the monument's materials to form a Rock Fort entrance walkway. It was the consensus of the commission that the monument materials would not be durable enough to be used as a paver path. Chair Gleason emphasized that the application should merit a "public venting" whether or not it was landmarked.

Chair Gleason asked why the fire escape on the front of the Banks Hotel was removed. McNary asked if the HLC received an application for a modification to the façade. Senior Planner Hert said she was not aware that the fire escape had been removed and questioned whether or not the fire escape was listed as an historical significant contributing portion of the building. Gleason said the fire escape was on the front façade of the historic building. McNary said the fire escape was a very significant portion of the building, and that fire escapes were often seen in other historical districts. Hert replied that she would look into it, and she knew the business owner was very interested in preserving the historical features of the building. Hert said any modifications of any kind to the structure would need to meet fire safety requirements. McNary commented that when the business owner appeared before HLC on a previous application request, the owner indicated that he wanted to keep the fire escape on the building front. Hert stated that when she talked to the business owner recently about the sign removal from the building front, he mentioned a safety hazard, and the next day the fire escape was gone. Gleason said he was unsure whether the fire escape was the original one, but it was more than 50 years old. Hert said the business owner's family had a substantial collection of photos that would assist in making a determination.

McNary reported that galvanized gutters had been installed on the Anderson House without an HLC review. Hert asked if it was a maintenance issue. Chair Gleason said it was a maintenance issue and apologized for not submitting an application. Gleason said he would provide an application for the next meeting.

#### **ADJOURNMENT**

Chair Gleason adjourned the meeting at 5:20 PM.


The next meeting is scheduled for Wednesday, May 22, 2013 at 4:00 PM.

Respectfully submitted by Administrative Secretary Carole Trautman.

---

Eric Gleason, Chair  
Historic Landmarks Commission

SCALE: 3/4" = 1'-0"



DESCRIPTION OF WORK

MANUFACTURE AND INSTALL (3) DOUBLE FACED NON-ILLUMINATED INFORMATION KIOSKS

SQ. FT. 11.33 QTY. 3

- POSTS  
6" DIA. ALUMINUM POSTS  
PAINTED FINISH
- FINIALS  
CUSTOM ALUMINUM FINIALS  
PAINTED FINISH
- BASES  
CUSTOM ALUMINUM BASES  
PAINTED FINISH
- FACES  
MULTI-LAYER 1/4" ALUMINUM SIGN  
PANELS- FAUX WOOD GRAIN  
PAINTED FINISH WITH UV CLEAR  
COAT
- ID TEXT  
1/4" ALUMINUM LETTERS- PAINTED  
FINISH
- GRAPHICS  
DIGITALLY PRINTED MAP WITH UV  
CLEAR LAMINATE

**Meyer Sign Co.**  
OF OREGON

www.meyersign.com  
503.628-1700  
503.628-7074

PROJECT: Riverfront Interpretive Signs  
ADDRESS: The Dalles, Oregon  
CHECKED: Russ Hovell

APPROVED: John Strang  
SCALE: 3/4" = 1'-0"  
DATE: 2.12.13


DATE	BY	DATE	BY

CUSTOMER APPROVAL	LAND/CRED. APPROVAL
DATE	DATE

This is an unperfected instrument and does not constitute a contract. It is subject to the terms and conditions of the contract between Meyer Sign Company and the customer. Meyer Sign Company is not responsible for any errors or omissions in this drawing. The customer is responsible for providing all necessary information and for obtaining all necessary permits. Meyer Sign Company is not responsible for any damage to property or persons caused by the use of this drawing.

PROJECT: Riverfront Interpretive Signs (13175)  
SHEET 1 OF 8

SEE PAGE 7 FOR LIGHTING SPECIFICATIONS




DESCRIPTION OF WORK

MANUFACTURE AND INSTALL (3) DOUBLE FACED NON-ILLUMINATED INFORMATION KIOSKS WITH EXTERNAL ILLUMINATION

SQ. FT. 11.33 QTY. 3

- POSTS  
6" DIA. ALUMINUM POSTS  
PAINTED FINISH
- FINIALS  
CUSTOM ALUMINUM FINIALS  
PAINTED FINISH
- BASES  
CUSTOM ALUMINUM BASES  
PAINTED FINISH
- FACES  
MULTI-LAYER 1/4" ALUMINUM SIGN  
PANELS- FAUX WOOD GRAIN  
PAINTED FINISH WITH UV CLEAR  
COAT
- ID TEXT  
1/4" ALUMINUM LETTERS- PAINTED  
FINISH
- GRAPHICS  
DIGITALLY PRINTED MAP WITH UV  
CLEAR LAMINATE

SCALE: 3/4" = 1'-0"



DESCRIPTION OF WORK

MANUFACTURE AND INSTALL (3) DOUBLE FACED NON-ILLUMINATED INFORMATION KIOSKS WITH EXTERNAL ILLUMINATION

SQ. FT. 11.33 QTY: 3

- POSTS  
6" DIA. ALUMINUM POSTS  
PAINTED FINISH
- FINIALS  
CUSTOM ALUMINUM FINIALS  
PAINTED FINISH
- BASES  
CUSTOM ALUMINUM BASES  
PAINTED FINISH
- FACES  
MULTI-LAYER 1/4" ALUMINUM SIGN  
PANELS- FAUX WOOD GRAIN  
PAINTED FINISH WITH UV CLEAR  
COAT
- ID TEXT  
1/4" ALUMINUM LETTERS- PAINTED  
FINISH
- GRAPHICS  
DIGITALLY PRINTED MAP WITH UV  
CLEAR LAMINATE




PROJECT: Recreation Interpretive Signs  
 ADDRESS: The Dalles, Oregon  
 CONTRACTOR: Ross Hixson  
 ARCHITECT: John Singman  
 SHEET NO: 2.12.13

DATE	BY	REVISION

CUSTOMER APPROVAL	LANDLORD APPROVAL
_____	_____
DATE	DATE

© 2013 Meyer Sign Co.  
 Recreation Interpretive Signs-15-13779

SCALE: 3/4" = 1'-0"




DESCRIPTION OF WORK

MANUFACTURE AND INSTALL (3) DOUBLE FACED NON-ILLUMINATED INFORMATION KIOSKS

SQ. FT 11.33 QTY 3

- POSTS  
6" DIA. ALUMINUM POSTS  
PAINTED FINISH
- FINIALS  
CUSTOM ALUMINUM FINIALS  
PAINTED FINISH
- BASES  
CUSTOM ALUMINUM BASES  
PAINTED FINISH
- FACES  
MULTI-LAYER 1/4" ALUMINUM SIGN  
PANELS- FAUX WOOD GRAIN  
PAINTED FINISH WITH UV CLEAR  
COAT
- ID TEXT  
1/4" ALUMINUM LETTERS- PAINTED  
FINISH
- GRAPHICS  
DIGITALLY PRINTED MAP WITH UV  
CLEAR LAMINATE

	www.meyersignco.com www.meyersignco.com phone: 503-620-8200 fax: 503-620-2034	PROJECT: Riverfront Interpretive Sign TIME: Dale, Oregon	ARCHITECT: John Singleton CONTRACT: 144774-13 S.C.A.B.: 11.5.13 DATE: 2.12.13	QUANTITY: 3 UNIT: SF PRICE: \$11,330.00 TOTAL: \$33,990.00	CUSTOMER APPROVAL _____ DATE: _____	LANDLORD APPROVAL _____ DATE: _____	This is not a contract. It is only a proposal. The contract is the purchase order from Meyer Sign Company. Terms and conditions apply. All work is subject to change without notice. Meyer Sign Company is not responsible for any delays or cost overruns. Meyer Sign Company of Oregon.	PROJECT: Riverfront Interpretive Sign IS-13173 SHEET: 4 OF 8
	PROJECT: Riverfront Interpretive Sign TIME: Dale, Oregon ARCHITECT: John Singleton CONTRACT: 144774-13 S.C.A.B.: 11.5.13 DATE: 2.12.13	QUANTITY: 3 UNIT: SF PRICE: \$11,330.00 TOTAL: \$33,990.00	CUSTOMER APPROVAL _____ DATE: _____	LANDLORD APPROVAL _____ DATE: _____	PROJECT: Riverfront Interpretive Sign IS-13173 SHEET: 4 OF 8			



**DESCRIPTION OF WORK**

MANUFACTURE AND INSTALL (3)  
DOUBLE FACED NON-ILLUMINATED  
INFORMATION KIOSKS

SQ. FT 11.33 QTY 3

FACE FRAME ASSEMBLY  
ALUMINUM CONSTRUCTION  
PAINT MATTE BLACK

FACES  
FLAT ALUMINUM  
PAINT MATTE BLACK  
APPLY DIGITALLY PRINTED VINYL  
GRAPHICS FIRST SURFACE

TEXT  
INDIVIDUALLY CUT OUT FROM 3/4"  
THICK ACRYLIC  
APPLY DIGITALLY PRINTED GRADIENT  
SHADED VINYL FIRST SURFACE  
INSTALL FLUSH TO FACE

LOGO GRAPHICS  
INDIVIDUALLY CUT OUT FROM 3/4"  
THICK ACRYLIC  
DIGITALLY PRINTED VINYL APPLIED  
FIRST SURFACE

SUPPORTS  
Ap313 CAST ALUMINUM WITH BALL  
FINIAL

INSTALLATION  
INSTALL AT LOCATION TO BE FIELD  
VERIFIED



www.meyersignco.com  
www.meyersignco.com  
phone: 503-620-8200  
fax: 503-620-3074


PROJECT: Riverfront Interpretive Signs  
SITES: Two Dalles, Oregon  
CONTACT: R. W. Hinton  
DATE: 2.12.13

DATE	BY	DATE	BY

CUSTOMER APPROVAL DATE	LANDOWNER APPROVAL DATE
---------------------------	----------------------------

See all our signs and products at [www.meyersignco.com](http://www.meyersignco.com)  
Meyer Sign Co. is a family owned and operated business  
located in the heart of the Dalles, Oregon. Meyer Sign Co. is  
committed to providing the highest quality signs and products  
at the lowest possible price. We are proud to be a part of the  
Meyer Sign Co. family.

14-11-13  
Riverfront Interpretive Signs-15-13179  
PAGE 5 OF 8  
RT



**DESCRIPTION OF WORK**

MANUFACTURE AND INSTALL (3)  
DOUBLE FACED ILLUMINATED  
INFORMATION KIOSKS

SQ. FT. 16.83      QTY. 3

**ROOF**  
ALUMINUM CONSTRUCTION  
PAINT METALLIC SILVER  
ROUTE OUT LENS FOR DOWN  
ILLUMINATION  
INSERT CRYSTAL ICE ACRYLIC LENS  
ILLUMINATE WITH WHITE LED LAMPS

**SIDE ELEMENTS**  
ALUMINUM CONSTRUCTION  
PAINT METALLIC SILVER

**TEXT**  
INDIVIDUALLY CUT OUT FROM 3/4"  
THICK BLACK ACRYLIC  
INSTALL FLUSH TO FACE

**FACES**  
FLAT CONSTRUCTION  
PAINT MATTE BLACK  
APPLY DIGITALLY PRINTED VINYL  
GRAPHICS FIRST SURFACE

**BASE**  
ALUMINUM CONSTRUCTION  
PAINT MATTE BLACK

**INSTALLATION**  
INSTALL AT LOCATION TO BE FIELD  
VERIFIED

	<a href="http://www.meyersign.com">www.meyersign.com</a> <a href="http://www.meyersign.com">www.meyersign.com</a> phone: 503 620-4200 fax: 503 620-7074	<b>PROJECT:</b> Riverfront Interpretive Signs <b>LOCATION:</b> The Dalles, Oregon <b>DESIGNER:</b> Reed Hixson	<b>DATE:</b> 11/11/13 <b>SCALE:</b> 1/8" = 1'-0" <b>PROJECT NO.:</b> 2.12.13	<b>CLIENT:</b> John Singler	<table border="1"> <tr> <td>DATE</td> <td>BY</td> <td>DATE</td> <td>BY</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table>	DATE	BY	DATE	BY					<table border="1"> <tr> <td><b>CUSTOMER APPROVAL</b></td> <td><b>LAND OREGON APPROVAL</b></td> </tr> <tr> <td>_____</td> <td>_____</td> </tr> <tr> <td>DATE _____</td> <td>DATE _____</td> </tr> </table>	<b>CUSTOMER APPROVAL</b>	<b>LAND OREGON APPROVAL</b>	_____	_____	DATE _____	DATE _____	<p>This is an approved preliminary drawing prepared for the client. It is not to be used for construction without the approval of Meyer Sign Company. All dimensions are in feet unless otherwise noted. Meyer Sign Company is not responsible for any errors or omissions in this drawing. The client is responsible for obtaining all necessary permits and approvals. Meyer Sign Company is not responsible for any damage to property or persons caused by the use of this drawing.</p> <p>PROJECT NO. 2.12.13  <b>Riverfront Interpretive Signs 15-11179</b>          15 11 17 9          SHEET 6 OF 8       </p>
	DATE	BY	DATE	BY																	
<b>CUSTOMER APPROVAL</b>	<b>LAND OREGON APPROVAL</b>																				
_____	_____																				
DATE _____	DATE _____																				

# EXTERNAL LIGHTING OPTION

## AMETRIX™

AMETRIX

### DESCRIPTION

LED asymmetric distribution  
Extruded aluminum housing  
Die cast aluminum end caps  
Die cast adjustable mounting arms  
Alined™ ARRO™ 4 aluminum reflector  
Extruded, lightly distressed acrylic free standard  
Electrostatically applied polyester powder coat paint finish

Catalog #	Type
Project	
Comments	Date
Prepared by	

### SPECIFICATION FEATURES

**Construction**  
Housing is corrosion resistant  
Type 6063 T6 aluminum extrusion with die cast aluminum end caps  
End caps are secured by concealed stainless steel fasteners. Housing end caps and lens are joined with single closed cell silicone gaskets. Silicone die cast hardware is standard

**Aiming**  
Fixture includes the PivotPoint™ TM lockable aiming system, providing minimum 180 degree vertical adjustment of the fixture housing in 5 degree increments. The aiming fixture locks securely in place by means of a stainless steel locking mechanism.

**Lens**  
A lightly diffused acrylic lens is standard, constructed of impact resistant, UV stabilized virgin acrylic to prevent discoloration

**Reflector**  
Reflector is constructed from highly specular Alined™ ARRO™ 4 aluminum with minimum 95% reflectance

**Electrical**  
LED fixtures use 82 power factor UL 1310 Class 2 AC to DC down with built in dimming. Integral LED lamp modules are easily replaceable in the field

**Mounting**  
Fixture includes Slide N Mount™ TM adjustable, lockable mounting arms (optional pendant) constructed from Type 303 die cast aluminum. Support structure by others.


**Finish**  
Fixture housings finished using electrocoat by applied polymeric powdercoat paint. Contact factory for custom colors

**Labels**  
UL - cUL listed for use in damp locations



### ARROWLINEAR LED

Extra Small Integral Individual Linear CANTILEVER



### Lamp Chart

Lamp Source	* Light Level 2: Absolute Lumens	Nominal Fixture Length	Actual Fixture Length	*** Recommended Mounting Centers
LED	2000	2'	27-3/8" (695mm)	22-13/16" (580mm)
LED	3000	3'	39-3/16" (995mm)	34-5/8" (880mm)
LED	4000	4'	51" (1295mm)	46-7/16" (1180mm)
LED	6000	6'	77-7/16" (1967mm)	72-29/32" (1852mm)
LED	8000	8'	101-1/16" (2567mm)	96-17/32" (2452mm)
LED	12,000	12'	151-3/16" (3839mm)	** 146-7/16 (3719mm)

\* Based on 3500K CCT. See photometric files at www.ametrixlighting.com for delivered lumen levels

\*\* 12' fixtures require three mounting points

\*\*\* Slide-N-Mount™ adjustable, lockable mounting arms are standard

### ORDERING INFORMATION

Product	Lens	Lens Type	Voltage	Finish	Mounting	Options *
AK06 Arrowlinear 6" Line	A - Acrylic	LED 1211	120 - 277V	W - White B - Bronze G - Gunmetal (patent)	AK06 0° Adjustable Fixed Integral	LMC Large 28 Mounting Centers (3/16" & 1/8" increments)
AK12 Arrowlinear 12" Line	Light Guard		277-277V	W - White	AK12 0° Adjustable Fixed Integral	
AK18 Arrowlinear 18" Line	2-Lens Lamp Option above		240-240V UNV Universal	W - White	AK18 0° Adjustable Fixed Integral	
AK24 Arrowlinear 24" Line					AK24 0° Adjustable Fixed Integral	

Step - no Outliner  
8 1/2" Line Small - below

Notes: 1 All dimensions are in inches unless otherwise specified.

ODD'SER Lighting  
www.oddserlighting.com

Specifications and Dimensions subject to change without notice.  
© 2014 ODD'SER Lighting, Inc. All rights reserved.

AMETRIX™  
www.ametrixlighting.com

ODD'SER Lighting  
www.oddserlighting.com

Specifications and Dimensions subject to change without notice.  
AMETRIX - CURRENT FINE CENTER - 1121 Highway 14 South - Pleasanton, CA 94566 - TEL: 925.460.4800 - FAX: 925.460.4001

AMETRIX  
www.ametrixlighting.com

Meyer Sign Co.  
OF OREGON  
www.meyer-sign.com  
www.oddserlighting.com  
phone: 503.620.8200  
fax: 503.620.7074

Project: Residential Integrative Signs  
Location: Tillamook, Oregon  
Contract #: 15-0115  
Contract Date: 11.15.15  
Contract Value: 2,12,13

DATE	BY	DATE	BY

CUSTOMER APPROVAL  
DATE: \_\_\_\_\_

LANDLORD APPROVAL  
DATE: \_\_\_\_\_

This document represents the design and specifications for the Meyer Sign Company's equipment and materials. It is intended for the use of the customer and is not to be used for any other purpose. The customer agrees to hold the manufacturer harmless for any and all claims, damages, or expenses, including reasonable attorney's fees, arising out of the use of the equipment and materials, whether or not such claims, damages, or expenses are caused in whole or in part by the negligence of Meyer Sign Company or its employees.

Residential Integrative Signs-15-0115  
7 of 8



Interpretive Panels						
Panel Number	Location	Primary Element Theme	Minor Element #1	Minor Element #2	Minor Element #3	Lead
1	Dock	Area Map	Attractions	Riverfront Trail	Event Calendar	City
2	Dock	Tribal Theme	Minor Tribal Theme	Minor Tribal Theme	Minor Tribal Theme	CTWS
3	Festival Park	Lewis and Clark	Rock Fort	Art Fountain		
4	Festival Park	Columbia	Umatilla House	The Dalles Dam		
5	Festival Park	Historic Map	Original Court House	Dalles Hotel	Fire of XXXX	
6	Festival Park	Founding of The Dalles	Fort Dalles	Pulpit Rock	Chinese Settlement	
7	Washington St. Plaza	Downtown Map	Murals		Sunshine Mill	Main Street
8	Washington St. Plaza	Local Industry	Cherries	Wheat	Wind Energy	

Directional Signs	
Sign Number	Theme
1	Trevitt Historical District
2	Commercial Historic District
3	Fort Dalles
4	Fort Rock
5	Columbia Gorge Discovery Center
6	The Dalles Dam
7	Port Area
8	Riverfront Park



HLC# 138-13

### HISTORICAL LANDMARKS APPLICATION

Application is required for modifications and/or alterations to the exterior of certified historic structures and all structures within certified historic districts. Additionally, new construction within established historic districts are also required to appear before the City of The Dalles Historical Landmarks Commission.

Name:	The Dalles Mural Society
Address	2505 Wright Drive, The Dalles, Or 97058
Site Address	4 murals on Federal st.
Telephone	541 993-2556

Please describe your project goals.

The mural society will be adding lighting to four of the existing murals on Federal street.

How will your project affect the appearance of the building and or site?

By adding lighting we will be enhancing the historical value of the building and murals, allowing viewing the murals in the evening

What efforts are being made to maintain the historic character of this structure?

The lighting will be attached to the building as to not harm the face of the building in any way.

What is the current use of this property?


Commercial Retail stores

Will the use change as a result of approval of this application? Yes/No

Yes/No



AA11-AGB101



HD BOX COVER

AA11-AGB101  
1/2" X 2 1/2" GOOSENECK


AA11  
11" ANGLE REFLECTOR

ARK LIGHTING CO. 10000 W. 100th St.  
Lemoore, CA 95243  
Tel: (209) 837-0000 Fax: (209) 837-0000  
www.arklighting.com



# AGB-101

## 23" L GOOSENECK



**MATERIAL:** Rigid Pipe 1/2" diameter (3/4" diameter available call factory)

**FINISH** (Custom Color Available, Call Factory for Price)

0	1	2	3	4	5	6	7
WHITE	BLACK	BLUE	GREEN	BRONZE	YELLOW	RED	YEL.ZINC
8	10	11	12	15	20	21	22
GALVANIZE	PAINT CHROME	SATIN COPPER	SATIN NICKEL	PAINT COPPER	SLD COPPER	SLD BRASS	UN FINISH

**OPTIONS:** Custom length available [shortest 18" overall length]  
**GOOSENECK COMES WITH COVER PLATE** (fits 4" bell box by others)



# ANGLED REFLECTOR



When You Choose Ark You Choose Quality

Ideal for store fronts, restaurants and other public places. Available in a variety of sizes, finishes, mounting options, light sources and with a large selection of accessories.

Materials - Fixtures spun of 18-gage cold-rolled steel and powder coated for a durable high-end finish.

Voltage - See Voltages Below or Contact us For Custom Options

Socket - #30 Medium Base Porcelain Socket (Standard)

Warranty - 1 Year Full Warranty

Listing - All Fixtures are UL or ETL Approved



Fixture Type	Integral Ballast Max Watt	Remote Ballast Max Watt	Remote Ballast Max Watt	Max. Height (Standard Max. Watt)	Max. Height (Max. Watt)	Height (H)	Depth (D)	Weight (Lbs)
AA-7	100	32	32	100	100	7"	7"	4
AA-9	150	32	32	100	100	9"	9"	5
AA-11	200	32	42	150	150	10"	11"	5
AA-14	200	42	42	150	150	12"	14"	6

Rated Voltage	MP Socket Voltage	Remote or Integral Ballast	Indoor or Outdoor	Finish	Cord	Mounting	Globe & Guard Options	Additional Accessories
Comes with 1/2" #30 Medium Base Socket (see Sockets for Specifications) 120V								
13	INT = Integral Ballast (120V) REM = Remote Ballast (120-277V)	Remote Ballast Required 35W = 120V 50W-150W = 120/208/240/277V (MT)	Indoor = SCE Outdoor = RTE (for Remote Ballasts)	White = WH Black = BLK Red = RD Blue = BL Green = GR Yellow = YL Galvanized = GA Painted Copper = PC Satin Nickel = SN  (for custom colors please contact us)	4' of Factory Pre-Wired Leads For Use With Stem or Gooseneck Mounting In Wet and Indoor Locations  WL = Wire Leads  (Custom Length Available)  Angled Reflectors cannot hang straight down from a ceiling with a cord.	Most Popular: AGB-101  (see Mounting Options for Stem and Gooseneck Specifications)  *Custom Bends Available  *134 = 3/4" Hub  * ACN009 or ACN004 Mounting Hardware Included With Purchase of Gooseneck or Stem	Globe Required for Outdoor Locations  Standard Clear Globe = AVX100GL or AVX200GL  Standard Clear Globe & Guard = AVX100DG or AVX200DG  (AVX200 for 42PL, 50MH, 70HPS, 100HPS, 150HPS)  (see Globes and Guards for Globe Colors and Specifications)	Wireguards: AG-107 AG-109 AG-111 AG-114  (e.g. AG-107 = AA-7)  Colored Cap: ACC-002
18								
26								
32								
42								
50	MP = Open Rated (No Globe Allowed) Medium Base (Globe Required)  The 70W - 150W Metal Halide options are with MP Socket Only	Remote Ballast Required 50W-150W = 120/208/240/277V (MT)	For Outdoor a Globe is Required (see Globes & Guards)					
70								
100								
150								

Sample Order	Fixture	Ballast	Indoor / Outdoor	Finish	Cord	Mounting	Globe/Guard	Accessories
	AA-7	32CF-REM	RTE	WH	WL	AGB-101	AVX-100DG	



TRADING POST FOR 10,000 YEARS CRAIG'S OFFICE SUPPLY



TRADING POST FOR 10,000 YEARS CRAIG'S OFFICE SUPPLY



LEWIS AND CLARK EXPEDITION TONY'S TOWN AND COUNTRY



ANCIENT FISHING GROUNDS HONALD BUILDING



ANCIENT FISHING GROUNDS HONALD BUILDING



DECISION AT THE DALLES    DAVIES DRUGS BUILDING



DECISION AT THE DALLES    DAVIES DRUGS BUILDING

**STAFF REPORT  
HISTORIC LANDMARKS REVIEW #139-13**

**TO:** The Dalles Historic Landmarks Commission

**FROM:** Dawn Marie Hert, Senior Planner



**HEARING DATE:** May 22, 2013

**ISSUE:** The property owner is applying to install 5” galvanized steel gutters and two downspouts to the Anderson Granary Building. This will assist in channeling water away from the siding and foundation of this historic log building.

**SYNOPSIS:**

APPLICANT	Fort Dalles Museum
PROPERTY OWNER	Wasco County
LOCATION	16 <sup>th</sup> and Garrison
ZONING	“P/OS” – Parks & Open Space
EXISTING USE	Museum
SURROUNDING USE	Residential
HISTORIC STATUS	National Register Property & Primary – Local Landmark Inventory #55

**NOTIFICATION:** Published advertisement in local newspaper; notification to property owners within 100 feet, SHPO.

**RECOMMENDATION:** Approval, with conditions, based on the following findings of fact.

**BACKGROUND:** The Lewis Anderson Granary is a rectangular, wood building constructed of hewn logs, which are notched and joined on the corners. It has a gable roof and a small diamond window above the door for lighting. This building was re-sited in The Dalles in 1973-74. The structure originally stood on the Anderson farm at Pleasant Ridge in Wasco County. The applicant wishes to place new gutters on the Granary. The new gutters will be visible, but in time the galvanized gutters will turn color to not be as visible. These gutters are replacing previous gutters that needed replacement. The new gutters will provide much needed protection to the historic structure by channeling the water away from the siding and the foundation.

**ANALYSIS:** The Historic Landmarks Commission is responsible for conducting hearings dealing with proposed alterations to historic buildings. City of The Dalles General Ordinance 94-1194, as well as General Ordinance 96-1207 establishing design guidelines for Historic Resources, will serve as a tools to help the Commission make these decisions. The purpose of the Historic Landmarks Commission, the Historic Ordinance and the review criteria are to:

- *Protect historic and cultural resources from destruction, inappropriate alteration, and incompatible adjacent development;*
- *Stabilize and improve property values in historic districts and citywide;*

- *Enhance the city's attractiveness to visitors and residents, and stimulate business, industry and tourism;*
- *Educate The Dalles' citizens and visitors concerning the city's heritage;*
- *Preserve the historic housing stock of The Dalles;*
- *Comply with The Dalles comprehensive Plan.*

**A. CITY OF THE DALLES GENERAL ORDINANCE 94-1194—AN ORDINANCE RELATING TO HISTORIC RESOURCES WITHIN THE CITY OF THE DALLES.**

Section 7, Subsection A. Review Criteria:

"Secretary's Standards. Commission decisions shall be based on the Secretary of the Interior's Guidelines for the Treatment of Historic Properties." The following are pertinent standards from the "Guide".

1. *"A property shall be used as it was historically or be given a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships".*

**FINDING A-1:** The site where this granary is located has been recognized as a museum for many years. It was originally the site of the Fort Dalles military district, which was established in 1860 (built in 1859). The Anderson Granary was moved to the site circa 1973. Criterion met.

2. *"The historic character of a property shall be retained and preserved. The removal of historic materials or alterations to features and spaces that characterize a property shall be avoided."*

**FINDING-A2:** No historic materials will be removed with this request. Criterion met.

3. *"Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken."*

**FINDING-A3:** The installation of galvanized gutters on the granary may slightly alter the exterior of the building. However, the repair is necessary to ensure that water is channeled away from the building structure to help avoid deterioration. The applicant is not proposing to add conjectural features or architectural elements from other buildings. Criterion met.

4. *"Changes to a property that have acquired historic significance in their own right shall be retained and preserved."*

**FINDING-A4:** No changes are requested that impact the historic significance of the Anderson Granary. Criterion met.

5. *"Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a property shall be preserved."*

**FINDING-A5:** All of the distinctive architectural elements of the Anderson Granary shall be preserved. No changes are requested that impact the historic features of the site. The new gutters could slightly impact the appearance due to

the shiny metal appearance but in time will blend with the existing structure and foundation. Criterion met.

6. *“Deteriorating historical features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary and physical evidence.”*

**FINDING-A6:** No historic features will be removed with this request. Criterion met.

7. *“Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.”*

**FINDING-A7:** No chemical or physical treatments have been proposed. Therefore, this criterion does not apply.

8. *“Significant archaeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.”*

**FINDING-A8:** No archaeological resources are expected to be affected by this proposal. However, if excavation does take place, the applicant is responsible to notify the appropriate authorities if an archaeological resource is found. This will be addressed as a condition of approval.

9. *“New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.”*

**FINDING-A9:** The new gutters and downspouts will be visible but in time will blend in with the building. All efforts will be taken to retain the historic character of the structure. Criterion met.

10. *“New additions and adjacent or related new construction shall be undertaken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.”*

**FINDING-A10:** No additions or new construction is proposed. Therefore, this criterion does not apply.

**CONCLUSIONS:** The installation of new gutters and downspouts on the Anderson Granary is necessary for the preservation of this historic structure. In all respects this application meets the standards of the Secretary of the Interior and the City of The Dalles General Ordinance No.94-1194, as well as General Ordinance No. 96-1207, with the following conditions:

**Recommended Conditions of Approval:**

1. Work will be completed in substantial conformance to the drawings and proposals as submitted and reviewed.

2. Discovered archeological resources or materials will need to be professionally evaluated prior to excavation at the site.



**CITY of THE DALLES**

313 COURT STREET  
THE DALLES, OREGON 97038

(541) 296-5481

MAY - 6 2013

HLC# 139-13

**HISTORICAL LANDMARKS APPLICATION**

Application is required for modifications and/or alterations to the exterior of certified historic structures and all structures within certified historic districts. Additionally, new construction within established historic districts are also required to appear before the City of The Dalles Historical Landmarks Commission.

Name:	Fort Dalles Museum
Address	15th and Garrison
Site Address	16th and Garrison
Telephone	(541) 296 4547

Please describe your project goals.

Install gutters on the North and South sides of the house in order to prevent further decay to the wooden house structure.

How will your project affect the appearance of the building and or site?

5" half round galvanized steel gutters will be used, these are the same style of gutter used on the house prior to its move to The Dalles. Downspouts will be added to the NE and SE corners of the building to channel the water away from the siding and the foundation.

What efforts are being made to maintain the historic character of this structure?

The gutters will help to prevent further decay to the unpainted log structure of the house. They should also reduce the bleaching caused by water leaching out the oils in the wood in certain areas of the house.

What is the current use of this property?

House Museum


Will the use change as a result of approval of this application? NO





Anderson family about 1895 in front of the new house.  
We know this is the front; note the hexagonal cistern house on the right, the  
food storage house just to left and the fire ladder just peaking over the roof.  
In 1895 Oscar would have been 11, Mabel 10, Ethel 8 and Lambert 7 years old.  
Therefore we presume this is Lambert, Carrie, Mabel and Lewis.

STATE OF OREGON INVENTORY  
OF HISTORIC PROPERTIES  
State Historic Preservation Office  
Oregon State Parks, Salem, OR 97310



County Wasco  
Theme \_\_\_\_\_  
Name  
(Common) Anderson (Lewis) Granary  
(Historic) same  
Address W. 16th at Garrison Street  
The Dalles, OR 97058  
Present Owner City of The Dalles  
313 Court Street  
Address The Dalles, OR 97058  
Original Use granary  
Date of Construction c. 1890's

Physical description of property and statement of historical significance:

The Lewis Anderson granary is a rectangular, wood building constructed of hewn logs which are notched and joined on the corners. It has a gable roof and a small diamond window above the door for lighting. The building was resited in The Dalles in 1973-74. The structure originally stood on the Anderson farm at Pleasant Ridge in Wasco County.

Lewis Anderson was born in Sweden on February 13, 1859. He settled in Wasco County about 1885 and later erected a complex of buildings on his farm at Pleasant Ridge. For additional biographical information see file sheet on the Lewis Anderson house.

continue on back if necessary

Recorded by Stephen Dow Beckham Date 7 July 1976

Sources consulted (continue on back if necessary):

Anderson, Dale. The History and Preservation of the Lewis Anderson Homestead. Oxon Hill, Md.: (The Author), 1974.

Please enclose map. Township 1 <sup>(N)</sup> 13 <sup>(E)</sup> Section 4DB  
156 State Inventory No. 55